Author Index

Agasøster, T., see Thanh, H. H. 532(1990)363
Allenmark, S., Edebo, A. and Lindgren, K. Determination of itraconazole in serum with high-performance liquid chromatography and fluorescence detection 532(1990)203
Amsler, U., see Zollinger, M. 532(1990)27
Andresen, A. T., see Thanh, H. H. 532(1990)363
Arakawa, S., see Kurono, M. 532(1990)175
Aran, J. M., Canela, E. I. and Franco, R. Preparative purification of adenosine deaminase from human erythrocytes by affinity chromatography 532(1990)75
Arashidani, K., see Yoshikawa, M. 532(1990)155
Artigot, M., see Ramis, I. 532(1990)217
Azumaya, C. T. Sensitive liquid chromatographic method for the determination of hydrochlorothiazide in human plasma 532(1990)168
Balis, F. M., see Hawkins, M. E. 532(1990)442
Bechtel, T. P., see MacKichan, J. J. 532(1990)424
Belleville, F., see Straczek, J. 532(1990)237
Bemgård, A., see Beving, H. 532(1990)45
Benchekroun, Y., Desage, M., Ribon, B. and Brazier, J. L. Gas chromatographic–mass spectrometric quantitation of tri-, di- and monomethylxanthines and uric acids from hepatocyte incubation media 532(1990)261
Beving, H., Olsson, U., Bemgård, A., Kristensson, J., Palmborg, J. and Sollenberg, J. High-performance liquid chromatographic analysis of hippuric acid in human blood plasma 532(1990)45
Bhamra, R. K., see Eastwood, R. J. 532(1990)187
Bianco, O., see Petrarulo, M. 532(1990)130
Binger, M. and Workman, P. Gradient high-performance liquid chromatographic assay for the determination of the novel indoloquinone antitumour agent E09 in biological specimens 532(1990)321
Blanz, J., Rosenfeld, C., Proksch, B., Ehninger, G. and Zeller, K.-P. Quantitation of busulfan in plasma by high-performance liquid chromatography using postcolumn photolysis 532(1990)429
Boniface, P. J., see Tan, S. T. 532(1990)181
Bonnet, J., see Tordjman, C. 532(1990)135
Brauchli, J., see Zollinger, M. 532(1990)27
Brazier, J. L., see Benchekroun, Y. 532(1990)261
Bresson, M., see Rop, P. P. 532(1990)351
Brune, K., see Menzel-Soglowek, S. 532(1990)295
Bulbena, O., see Ramis, I. 532(1990)217
Cahard, C., Rop, P. P., Conquy, T. and Viala, A. High-performance liquid chromatographic analysis of haloperidol and hydroxyhaloperidol in plasma after solid-phase extraction 532(1990)193
Canela, E. I., see Aran, J. M. 532(1990)75
Cann-Moisan, C., Caroff, J. and Girin, E. Rapid high-performance liquid chromatographic determination of γ-aminobutyric acid and some other amino acids: application to rat brain 532(1990)438
Capdepuy, M., see Fourche, J. 532(1990)209
Caroff, J., see Cann-Moisan, C. 532(1990)438
Cashman, J. R. and Yang, Z.-C. Analysis of amine metabolites by high-performance liquid chromatography on silica gel with a non-aqueous ionic eluent 532(1990)405
Chang, S.-P., see Hu, O. Y.-P. 532(1990)337
Chen, K.-Y., see Hu, O. Y.-P. 532(1990)337
Chenut, A. M., see Straczek, J. 532(1990)237
Christophersen, A. S., see Johansen, M. 532(1990)277
Conquy, T., see Cahard, C. 532(1990)193
Conquy, T., see Rop, P. P. 532(1990)351
Cosseddu, D., see Petrarulo, M. 532(1990)130
Czejka, E., see Jäger, W. 532(1990)411
Czejka, M. J., see Jäger, W. 532(1990)411
Dawson, M. and McGee, C. M. Comparison between ethanol and methanol for the reversed-phase high-performance liquid chromatographic analysis of leukotriene B_4 and its metabolites in cell incubation supernatants 532(1990)379
Desage, M., see Benchekroun, Y. 532(1990)261
Deyl, Z. *Protein purification. Principles, high resolution methods and applications* (edited by J.-C. Janson and L. Rydén) (Book Review) 532(1989)207
Eastwood, R. J., Bhamra, R. K. and Holt, D. W. High-performance liquid chromatographic method for the measurement of buflomedil in plasma and serum 532(1990)187
Edebo, A., see Allenmark, S. 532(1990)203
Ehninger, G., see Blanz, J. 532(1990)429

Erlandsson, P., Isaksson, R., Lorentzon, P. and Lindberg, P.
Resolution of the enantiomers of omeprazole and some of its analogues by liquid chromatography on a trisphenylcarbamoylcellulose-based stationary phase. The effect of the enantiomers of omeprazole on gastric glands 532(1990)305
Evans, P. D., see Macfarlane, R. G. 532(1990)1
Evans, P. D., see Macfarlane, R. G. 532(1990)13
Fajardo, D., see Täpanes, R. D. 532(1990)400
Falk, J. L., see Lau, C. E. 532(1990)95
Ferrari, L., see Maccari, F. 532(1990)124
Fishman, R. M., Moore, G. L., Zegna, A. and Marini, M. A.
High-performance liquid chromatographic evaluation of pyridoxyl 5′-phosphate hemoglobin derivatives produced by different reduction procedures 532(1990)55
Fogl, U., see Jäger, W. 532(1990)411
Fourche, J., Capdepuy, M., Maugein, J. and Le Moigne, F.
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209
Franco, R., see Aran, J. M. 532(1990)75
Gaitonde, C. D. and Pathak, P. V.
Rapid liquid chromatographic method for the estimation of isoniazid and pyrazinamide in plasma and urine 532(1990)418
Geisslinger, G., see Menzel-Soglowek, S. 532(1990)295
Gelpí, E., see Ramis, I. 532(1990)217
Geschier, C., see Straczek, J. 532(1990)237
Girin, E., see Cann-Moisan, C. 532(1990)438
Godin, J.
High-performance liquid chromatographic method for the determination of vanadium in serum 532(1990)445
Haginaka, J. and Nishimura, Y.
Simultaneous determination of ampicillin and sulbactam by liquid chromatography: post-column reaction with sodium hydroxide and sodium hypochlorite using an active hollow-fibre membrane reactor 532(1990)87
Hansel, S. B., see Morris, M. E. 532(1990)285
Hawkins, M. E., Poplack, D. G., Pizzo, P. A. and Balis, F. M.
High-performance liquid chromatographic method for the analysis of 2′,3′-dideoxycytidine in human plasma 532(1990)442
Heine, A., see Heitefuss, S. 532(1990)374
Heitefuss, S., Heine, A. and Seifert, H. S. H.
Detection of non-volatile organic acids by head-space gas chromatography 532(1990)374
Heulin, M. H., see Straczek, J. 532(1990)237
Holt, D. W., see Eastwood, R. J. 532(1990)187
Hu, O. Y.-P., Chang, S.-P., Song, Y.-B., Chen, K.-Y. and Law, C.-K.
Novel assay method for mitoxantrone in plasma, and its application in cancer patients 532(1990)337
Hušek, P.
Simple approach for reversal of the epinephrine–norepinephrine elution order in ion-pair reversed-phase liquid chromatography 532(1990)394
Imanari, T., see Koshiishi, I. 532(1990)37
Isaksson, R., see Erlandsson, P. 532(1990)305
Ishikawa, K., see Shibanoki, S. 532(1990)249
Jadaud, P., see Silan, L. 532(1990)227
Jäger, W., Czejka, M. J., Schüller, J., Fogl, U., Czejka, E. and Lackner, H.
Rapid and simple high-performance liquid chromatographic assay for 5′-fluorouracil in plasma for bioavailability studies 532(1990)411
Johansen, M., Rasmussen, K. E. and Christophersen, A. S.
Determination of pholcodine and its metabolites in urine by capillary gas chromatography 532(1990)277
Kagels, F., see Zurth, C. 532(1990)115
Karangwa, E., Mitchell, Jr., G. E. and Tucker, R. E.
High-performance liquid chromatographic determination of 4-methylimidazole in sheep plasma and in ammoniated tall fescue hay 532(1990)105
Kawahara, Y., see Naganuma, H. 532(1990)65
Kikawa, Y., Nakai, A., Shigematsu, Y. and Sudo, M.
Extraction of urinary leukotriene E_4 by the combined use of octadecyl reversed-phase and NH_2 normal-phase extraction columns 532(1990)387
Kikkawa, K., see Takechi, T. 532(1990)144
Kobori, Y., see Koshiishi, I. 532(1990)37
Kodama, H., see Takechi, T. 532(1990)144
Kodama, Y., see Yoshikawa, M. 532(1990)155
Kondo, J.-I., see Naganuma, H. 532(1990)65
Koshiishi, I., Kobori, Y. and Imanari, T.
Determination of citrulline and homocitrulline by high-performance liquid chromatography with post-column derivatization 532(1990)37

Kristensson, J., see Beving, H. 532(1990)45
Kurashige, T., see Takechi, T. 532(1990)144
Kurono, M., Yoshida, K., Arakawa, S. and Naruto, S.
Determination of a novel calcium entry blocker, AJ-2615, in plasma using solid-phase extraction and high-performance liquid chromatography with electrochemical detection 532(1990)175
Lackner, H., see Jäger, W. 532(1990)411
Lasbennes, A., see Straczek, J. 532(1990)237
Lau, C. E., Ma, F. and Falk, J. L.
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95
Law, C.-K., see Hu, O. Y.-P. 532(1990)337
Le Moigne, F., see Fourche, J. 532(1990)209
Li, K.
Simple and rapid thin-layer chromatographic method for quantitative measurement of free cholesterol in serum 532(1990)449
Linari, F., see Petrarulo, M. 532(1990)130
Lindberg, P., see Erlandsson, P. 532(1990)305
Lindgren, K., see Allenmark, S. 532(1990)203
Lockemeyer, M. R. and Smith, C. V.
Analysis of pentoxifylline in rabbit plasma using a Hisep™ high-performance liquid chromatography column 532(1990)162
Lorentzon, P., see Erlandsson, P. 532(1990)305
Luhmann, I. and Szathmary, S. C.
Sensitive and automated gas chromatographic method for the determination of etomidate in plasma samples 532(1990)150
Ma, F., see Lau, C. E. 532(1990)95
Maccari, F., Ferrari, L., Pessotto, P. and Ramacci, M. T.
L-Carnitine interference in gas chromatographic determination of total trimethylamine in urine: a novel assay method 532(1990)124
Macfarlane, R. G., Midgley, J. M., Watson, D. G. and Evans, P. D.
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)1
Macfarlane, R. G., Midgley, J. M., Watson, D. G. and Evans, P. D.
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13
MacKichan, J. J. and Bechtel, T. P.
Quantitation of busulfan in plasma by high-performance liquid chromatography 532(1990)424
Marangella, M., see Petrarulo, M. 532(1990)130
Marini, M. A., see Fishman, R. M. 532(1990)55
Martinez, Jr., J. L., see Shibanoki, S. 532(1990)249
Maugein, J., see Fourche, J. 532(1990)209
McGee, C. M., see Dawson, M. 532(1990)379
Menzel-Soglowek, S., Geisslinger, G. and Brune, K.
Stereoselective high-performance liquid chromatographic determination of ketoprofen, ibuprofen and fenoprofen in plasma using a chiral α_1-acid glycoprotein column 532(1990)295
Midgley, J. M., see Macfarlane, R. G. 532(1990)1
Midgley, J. M., see Macfarlane, R. G. 532(1990)13
Mitchell, Jr., G. E., see Karangwa, E. 532(1990)105
Moore, G. L., see Fishman, R. M. 532(1990)55
Morris, M. E. and Hansel, S. B.
High-performance liquid chromatographic analysis of *p*-nitrophenol and its conjugates in biological samples 532(1990)285
Nabet, P., see Straczek, J. 532(1990)237
Naganuma, H., Kondo, J.-I. and Kawahara, Y.
Enantiospecific assay for mammalian carbonyl reductase by liquid chromatography with fluorescence detection 532(1990)65
Nakai, A., see Kikawa, Y. 532(1990)387
Naruto, S., see Kurono, M. 532(1990)175
Nishimura, Y., see Haginaka, J. 532(1990)87
Olsson, U., see Beving, H. 532(1990)45
Palmborg, J., see Beving, H. 532(1990)45
Pathak, P. V., see Gaitonde, C. D. 532(1990)418
Pellegrino, S., see Petrarulo, M. 532(1990)130
Pérez Avila, J., see Täpanes, R. D. 532(1990)400
Pessotto, P., see Maccari, F. 532(1990)124
Petrarulo, M., Bianco, O., Cosseddu, D., Marangella, M., Pellegrino, S. and Linari, F.
Improved high-performance liquid chromatographic determination of urinary glycolic acid 532(1990)130
Picado, C., see Ramis, I. 532(1990)217
Pizzo, P. A., see Hawkins, M. E. 532(1990)442
Poplack, D. G., see Hawkins, M. E. 532(1990)442
Proksch, B., see Blanz, J. 532(1990)429
Ramacci, M. T., see Maccari, F. 532(1990)124
Rambaud, F., see Tordjman, C. 532(1990)135
Ramis, I., Roselló-Catafau, J., Artigot, M., Bulbena, O., Picado, C. and Gelpí, E.
Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Ramos, F., see Tápanes, R. D. 532(1990)400
Rasmussen, K. E., see Thanh, H. H. 532(1990)363
Rasmussen, K. E., see Johansen, M. 532(1990)277
Ribon, B., see Benchekroun, Y. 532(1990)261
Rop, P. P., Spinazzola, J., Bresson, M., Conquy, T. and Viala, A.
Determination of amineptine and its main metabolite in plasma by high-performance liquid chromatography after solid-phase extraction 532(1990)351
Rop, P. P., see Cahard, C. 532(1990)193
Rosado, A., see Tápanes, R. D. 532(1990)400
Roselló-Catafau, J., see Ramis, I. 532(1990)217
Rosenfeld, C., see Blanz, J. 532(1990)429
Schüller, J., see Jäger, W. 532(1990)411
Seifert, H. S. H., see Heitefuss, S. 532(1990)374
Serkiz, B., see Tordjman, C. 532(1990)135
Shibanoki, S., Weinberger, S. B., Ishikawa, K. and Martinez, Jr., J. L.
Sensitive method for measuring hydrolysis of enkephalins in plasma, using high-performance liquid chromatography with electrochemical detection 532(1990)249
Shigematsu, Y., see Kikawa, Y. 532(1990)387
Silan, L., Jadaud, P., Whitfield, L. R. and Wainer, I. W.
Determination of low levels of the stereoisomers of leucovorin and 5-methyltetrahydrofolate in plasma using a coupled chiral–achiral high-performance liquid chromatographic system with post-chiral column peak compression 532(1990)227
Smith, C. V., see Lockemeyer, M. R. 532(1990)162
Sollenberg, J., see Beving, H. 532(1990)45
Song, Y.-B., see Hu, O. Y.-P. 532(1990)337
Spinazzola, J., see Rop, P. P. 532(1990)351
Straczek, J., Heulin, M. H., Chenut, A. M., Lasbennes, A., Geschier, C., Belleville, F. and Nabet, P.
Purification and characterization of three molecular forms of insulin-like growth factor II from human Cohn paste IV 532(1990)237
Sudo, M., see Kikawa, Y. 532(1990)387
Szathmary, S. C., see Luhmann, I. 532(1990)150
Takechi, T., Wakiguchi, H., Kurashige, T., Kikkawa, K. and Kodama, H.
Determination of orotic acid in urine and serum by isotachophoretic analysis 532(1990)144
Tan, S. T. and Boniface, P. J.
High-performance liquid chromatography of droperidol in whole blood 532(1990)181
Tápanes, R. D., Ramos, F., Pérez Avila, J., Rosado, A. and Fajardo, D.
Identification of a chloroquine artifact by gas chromatography–mass spectrometry 532(1990)400
Thanh, H. H., Andresen, A. T., Agasøster, T. and Rasmussen, K. E.
Automated column-switching high-performance liquid chromatographic determination of flumequine and oxolinic acid in extracts from fish 532(1990)363
Tordjman, C., Serkiz, B., Rambaud, F., Bonnet, J. and Volland, J. P.
High-performance liquid chromatographic quantitation of cyclooxygenase and lipoxygenase metabolites of arachidonic acid from rat polymorphonuclear leukocytes 532(1990)135
Tucker, R. E., see Karangwa, E. 532(1990)105
Viala, A., see Cahard, C. 532(1990)193
Viala, A., see Rop, P. P. 532(1990)351
Volland, J. P., see Tordjman, C. 532(1990)135
Wainer, I. W., see Silan, L. 532(1990)227
Wakiguchi, H., see Takechi, T. 532(1990)144
Watson, D. G., see Macfarlane, R. G. 532(1990)1
Watson, D. G., see Macfarlane, R. G. 532(1990)13
Weinberger, S. B., see Shibanoki, S. 532(1990)249
Whitfield, L. R., see Silan, L. 532(1990)227
Workman, P., see Binger, M. 532(1990)321
Yang, Z.-C., see Cashman, J. R. 532(1990)405
Yoshida, K., see Kurono, M. 532(1990)175
Yoshikawa, M., Arashidani, K. and Kodama, Y.
Analysis of 3-hydroxybenzo[*a*]pyrene by high-performance liquid chromatography using a post-column method 532(1990)155
Zegna, A., see Fishman, R. M. 532(1990)55
Zeller, K.-P., see Blanz, J. 532(1990)429
Zollinger, M., Amsler, U. and Brauchli, J.
Quantification of N-acetylaspartylglutamate, an N-terminal blocked dipeptide neurotransmitter candidate, in brain slice superfusates by gas chromatography–mass spectrometry 532(1990)27
Zurth, C. and Kagels, F.
Determination of onapristone and its N-desmethyl metabolite in human plasma or serum by high-performance liquid chromatography 532(1990)115

Compound Index

N-Acetylaspartylglutamate
Quantification of N-acetylaspartylglutamate, an N-terminal blocked dipeptide neurotransmitter candidate, in brain slice superfusates by gas chromatography–mass spectrometry 532(1990)27

N-Acetyldopamine
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

N-Acetyl-5-hydroxytryptamine
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

N-Acetyloctopamine
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

N-Acetyltyramine
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

Adenosine deaminase
Preparative purification of adenosine deaminase from human erythrocytes by affinity chromatography 532(1990)75

AJ-2615
Determination of a novel calcium entry blocker, AJ-2615, in plasma using solid-phase extraction and high-performance liquid chromatography with electrochemical detection 532(1990)175

Alanine
Rapid high-performance liquid chromatographic determination of γ-aminobutyric acid and some other amino acids: application to rat brain 532(1990)438

Amineptine
Determination of amineptine and its main metabolite in plasma by high-performance liquid chromatography after solid-phase extraction 532(1990)351

Amines
Analysis of amine metabolites by high-performance liquid chromatography on silica gel with a non-aqueous ionic eluent 532(1990)405

γ-Aminobutyric acid
Rapid high-performance liquid chromatographic determination of γ-aminobutyric acid and some other amino acids: application to rat brain 532(1990)438

Ampicillin
Simultaneous determination of ampicillin and sulbactam by liquid chromatography: post-column reaction with sodium hydroxide and sodium hypochlorite using an active hollow-fibre membrane reactor 532(1990)87

Arachidonic acid
High-performance liquid chromatographic quantitation of cyclooxygenase and lipoxygenase metabolites of arachidonic acid from rat polymorphonuclear leukocytes 532(1990)135

Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Benzoylecgonine
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95

Benzoylnorecgonine
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95

Buflomedil
High-performance liquid chromatographic method for the measurement of buflomedil in plasma and serum 532(1990)187

Busulfan
Quantitation of busulfan in plasma by high-performance liquid chromatography 532(1990)424

Quantitation of busulfan in plasma by high-performance liquid chromatography using postcolumn photolysis 532(1990)429

Caffeine
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95

Carbonyl reductase
Enantiospecific assay for mammalian carbonyl reductase by liquid chromatography with fluorescence detection 532(1990)65

L-Carnitine
L-Carnitine interference in gas chromatographic determination of total trimethylamine in urine: a novel assay method 532(1990)124

Catecholamines
Simple approach for reversal of the epinephrine–norepinephrine elution order in ion-pair reversed-phase liquid chromatography 532(1990)394

Chloroquine artifact
Identification of a chloroquine artifact by gas chromatography–mass spectrometry 532(1990)400

Cholesterol
Simple and rapid thin-layer chromatographic method for quantitative measurement of free cholesterol in serum 532(1990)449

Citrulline
Determination of citrulline and homocitrulline by high-performance liquid chromatography with post-column derivatization 532(1990)37

Cocaine
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95

N-Desmethylonapristone
Determination of onapristone and its N-desmethyl metabolite in human plasma or serum by high-performance liquid chromatography 532(1990)115

2′,3′-Dideoxycitidine
High-performance liquid chromatographic method for the analysis of 2′,3′-dideoxycytidine in human plasma 532(1990)442

Dihydroxyphenylalanine
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)1

DOPA
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)1

Dopamine
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

Simple approach for reversal of the epinephrine–norepinephrine elution order in ion-pair reversed-phase liquid chromatography 532(1990)394

Droperidol
High-performance liquid chromatography of droperidol in whole blood 532(1990)181

E09
Gradient high-performance liquid chromatographic assay for the determination of the novel indoloquinone antitumour agent E09 in biological specimens 532(1990)321

Eicosanoids
Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Enkephalins
Sensitive method for measuring hydrolysis of enkephalins in plasma, using high-performance liquid chromatography with electrochemical detection 532(1990)249

Enzymes
Enantiospecific assay for mammalian carbonyl reductase by liquid chromatography with fluorescence detection 532(1990)65

Preparative purification of adenosine deaminase from human erythrocytes by affinity chromatography 532(1990)75

Epinephrine
Simple approach for reversal of the epinephrine–norepinephrine elution order in ion-pair reversed-phase liquid chromatography 532(1990)394

Ethanol
Comparison between ethanol and methanol for the reversed-phase high-performance liquid chromatographic analysis of leukotriene B_4 and its metabolites in cell incubation supernatants 532(1990)379

Etomidate
Sensitive and automated gas chromatographic method for the determination of etomidate in plasma samples 532(1990)150

Fatty acids
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium, Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209

Fenoprofen
Stereoselective high-performance liquid chromatographic determination of ketoprofen, ibuprofen and fenoprofen in plasma using a chiral α_1-acid glycoprotein column 532(1990)295

Flumequine
Automated column-switching high-performance liquid chromatographic determination of flumequine and oxolinic acid in extracts from fish 532(1990)363

5′-Fluorouracil
Rapid and simple high-performance liquid chromatographic assay for 5′-fluorouracil in plasma for bioavailability studies 532(1990)411

Glutamine
Rapid high-performance liquid chromatographic determination of γ-aminobutyric acid and some other amino acids: application to rat brain 532(1990)438

Glycolic acid
Improved high-performance liquid chromatographic determination of urinary glycolic acid 532(1990)130

Haemoglobins, pyridoxylated
High-performance liquid chromatographic evaluation of pyridoxyl 5′-phosphate hemoglobin derivatives produced by different reduction procedures 532(1990)55

Haloperidol
High-performance liquid chromatography of droperidol in whole blood 532(1990)181

High-performance liquid chromatographic analysis of haloperidol and hydroxyhaloperidol in plasma after solid-phase extraction 532(1990)193

Hippuric acid
High-performance liquid chromatographic analysis of hippuric acid in human blood plasma 532(1990)45

Homocitrulline
Determination of citrulline and homocitrulline by high-performance liquid chromatography with post-column derivatization 532(1990)37

Hydrochlorothiazide
Sensitive liquid chromatographic method for the determination of hydrochlorothiazide in human plasma 532(1990)168

3-Hydroxybenzo[*a*]pyrene
Analysis of 3-hydroxybenzo[*a*]pyrene by high-performance liquid chromatography using a post-column method 532(1990)155

Hydroxyeicosatetraenoic acids
Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Hydroxyhaloperidol
High-performance liquid chromatographic analysis of haloperidol and hydroxyhaloperidol in plasma after solid-phase extraction 532(1990)193

3-Hydroxymethyl-5-aziridinyl-1-methyl-2-(1H-indole-4,7-dione)-prop-β-en-α-ol
Gradient high-performance liquid chromatographic assay for the determination of the novel indoloquinone antitumour agent E09 in biological specimens 532(1990)321

Ibuprofen
Stereoselective high-performance liquid chromatographic determination of ketoprofen, ibuprofen and fenoprofen in plasma using a chiral α_1-acid glycoprotein column 532(1990)295

Indoquinone antitumour agent
Gradient high-performance liquid chromatographic assay for the determination of the novel indoloquinone antitumour agent E09 in biological specimens 532(1990)321

Insulin-like growth factor II
Purification and characterization of three molecular forms of insulin-like growth factor II from human Cohn paste IV 532(1990)237

Isoniazid
Rapid liquid chromatographic method for the estimation of isoniazid and pyrazinamide in plasma and urine 532(1990)418

Itraconazole
Determination of itraconazole in serum with high-performance liquid chromatography and fluorescence detection 532(1990)203

Ketoprofen
Stereoselective high-performance liquid chromatographic determination of ketoprofen, ibuprofen and fenoprofen in plasma using a chiral α_1-acid glycoprotein column 532(1990)295

Leucovorin
Determination of low levels of the stereoisomers of leucovorin and 5-methyltetrahydrofolate in plasma using a coupled chiral–achiral high-performance liquid chromatographic system with post-chiral column peak compression 532(1990)227

Leukotriene B_4
Comparison between ethanol and methanol for the reversed-phase high-performance liquid chromatographic analysis of leukotriene B_4 and its metabolites in cell incubation supernatants 532(1990)379

Leukotriene E_4
Extraction of urinary leukotriene E_4 by the combined use of octadecyl reversed-phase and NH_2 normal-phase extraction columns 532(1990)387

Leukotrienes
Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Methanol
Comparison between ethanol and methanol for the reversed-phase high-performance liquid chromatographic analysis of leukotriene B_4 and its metabolites in cell incubation supernatants 532(1990)379

4-Methylimidazole
High-performance liquid chromatographic determination of 4-methylimidazole in sheep plasma and in ammoniated tall fescue hay 532(1990)105

5-Methyltetrahydrofolate
Determination of low levels of the stereoisomers of leucovorin and 5-methyltetrahydrofolate in plasma using a coupled chiral–achiral high-performance liquid chromatographic system with post-chiral column peak compression 532(1990)227

Methylxanthines, metabolites
Gas chromatographic–mass spectrometric quantitation of tri-, di- and monomethylxanthines and uric acids from hepatocyte incubation media 532(1990)261

Mitoxantrone
Novel assay method for mitoxantrone in plasma, and its application in cancer patients 532(1990)337

Morphine
Determination of pholcodine and its metabolites in urine by capillary gas chromatography 532(1990)277

Mycobacterium avium
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209

Mycobacterium intracellulare
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209

Mycobacterium scrofulaceum
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209

***p*-Nitrophenol**
High-performance liquid chromatographic analysis of *p*-nitrophenol and its conjugates in biological samples 532(1990)285

***p*-Nitrophenol glucuronide**
High-performance liquid chromatographic analysis of *p*-nitrophenol and its conjugates in biological samples 532(1990)285

***p*-Nitrophenol sulphate**
High-performance liquid chromatographic analysis of *p*-nitrophenol and its conjugates in biological samples 532(1990)285

Non-volatile organic acids
Detection of non-volatile organic acids by head-space gas chromatography §32(1990)374

Norcocaine
Simultaneous determination of cocaine and its metabolites with caffeine in rat serum microsamples by high-performance liquid chromatography 532(1990)95

Norepinephrine
Simple approach for reversal of the epinephrine–norepinephrine elution order in ion-pair reversed-phase liquid chromatography 532(1990)394

Nucleosides
High-performance liquid chromatographic method for the analysis of 2',3'-dideoxycytidine in human plasma 532(1990)442

***p*-Octopamine**
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

Omeprazole
Resolution of the enantiomers of omeprazole and some of its analogues by liquid chromatography on a trisphenylcarbamoylcellulose-based stationary phase. The effect of the enantiomers of omeprazole on gastric glands 532(1990)305

Onapristone
Determination of onapristone and its N-desmethyl metabolite in human plasma or serum by high-performance liquid chromatography 532(1990)115

Organic acids, non-volatile
Detection of non-volatile organic acids by head-space gas chromatography 532(1990)374

Orotic acid
Determination of orotic acid in urine and serum by isotachophoretic analysis 532(1990)144

Oxolinic acid
Automated column-switching high-performance liquid chromatographic determination of flumequine and oxolinic acid in extracts from fish 532(1990)363

Pentoxifylline
Analysis of pentoxifylline in rabbit plasma using a Hisep™ high-performance liquid chromatography column 532(1990)162

Phenylalanine
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)1

Pholcodine
Determination of pholcodine and its metabolites in urine by capillary gas chromatography 532(1990)277

Prostaglandins
Simultaneous reversed-phase extraction of lipoxygenase and cyclooxygenase metabolites of arachidonic acid in nasal secretions: methodological aspects 532(1990)217

Proteins
Analysis of cellular fatty acids and proteins by capillary gas chromatography and sodium dodecyl sulphate polyacrylamide gel electrophoresis to differentiate *Mycobacterium avium*, *Mycobacterium intracellulare* and *Mycobacterium scrofulaceum* (MAIS) complex species 532(1990)209

Pyrazinamide
Rapid liquid chromatographic method for the estimation of isoniazid and pyrazinamide in plasma and urine 532(1990)418

Sulbactam
Simultaneous determination of ampicillin and sulbactam by liquid chromatography: post-column reaction with sodium hydroxide and sodium hypochlorite using an active hollow-fibre membrane reactor 532(1990)87

Triethylamine
L-Carnitine interference in gas chromatographic determination of total trimethylamine in urine: a novel assay method 532(1990)124

Trifluperidol
High-performance liquid chromatography of droperidol in whole blood 532(1990)181

***p*-Tyramine**
Identification and quantitation of N-acetyl metabolites of biogenic amines in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)13

Tyrosine
Identification and quantitation of phenylalanine, tyrosine and dihydroxyphenylalanine in the thoracic nervous system of the locust, *Schistocerca gregaria*, by gas chromatography–negative-ion chemical ionisation mass spectrometry 532(1990)1

Vanadium
High-performance liquid chromatographic method for the determination of vanadium in serum 532(1990)445

Erratum

J. Chromatogr., 530 (1990) 253–262
Page 255, 10th line, "0.175 *M*" should read "0.035 *M*".